



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/700,904	11/03/2003	G. Douglas Meegan JR.	82274.93	1130

24347 7590 08/24/2005
HUNTON & WILLIAMS LLP
1601 BRYAN STREET
ENERGY PLAZA - 30TH FLOOR
DALLAS, TX 75201

EXAMINER

GREENE, JASON M

ART UNIT PAPER NUMBER

1724

DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/700,904

Applicant(s)

MEEGAN, G. DOUGLAS

Examiner

Jason M. Greene

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-197 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 121-123 is/are allowed.
- 6) ☒ Claim(s) 1-15, 17-78, 80-120, 124-180 and 184-197 is/are rejected.
- 7) ☒ Claim(s) 16, 79 and 181-183 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 11/03; 8+12/04; 7/05.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

DETAILED ACTION

Priority

1. Applicant has not complied with one or more conditions for receiving the benefit of an earlier filing date under 35 U.S.C. 119(e) as follows:

An application in which the benefits of an earlier application are desired must contain a specific reference to the prior application(s) in the first sentence(s) of the specification or in an application data sheet by identifying the prior application by application number (37 CFR 1.78(a)(2) and (a)(5)). If the prior application is a non-provisional application, the specific reference must also include the relationship (i.e., continuation, divisional, or continuation-in-part) between the applications except when the reference is to a prior application of a CPA assigned the same application number. While the specification contains a specific reference to the prior application, the reference is not in the first sentence of the specification since the reference follows a paragraph discussing the technical field of the invention. The Examiner suggests Applicants change the order of the first and second paragraphs of the specification.

Drawings

2. The drawings were received on 07 January 2004. These drawings are acceptable.

Claims

3. With regard to claims 15 and 138, the Examiner suggests Applicants insert a period at the end of lines 3 and 2, respectively, to correct minor grammatical informalities.

4. Claim 21 recites the limitation "the collection device" in line 4. However, since the claim is directed to the apparatus of claim 20 further comprising a second collection device, it appears as though the limitation was intended to read as "the second collection device". The Examiner has assumed that the phrase was intended to refer to the second collection device for examination purposes. If this assumption is correct, the Examiner suggests Applicants amend the claim accordingly.

Claim Objections

5. Claims 196 and 197 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim.

Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claims 196 and 197 recite the apparatus of claim 190 wherein the acoustic field has a frequency, wherein the frequency is determined from a model or by trial-and-error. Since the

Art Unit: 1724

acoustic field comprises sound waves, the acoustic field inherently has a frequency. Furthermore, the claims fail to further limit the parent claim since the method used to determine the frequency fails to impose additional structural limitations on the apparatus.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1-5, 7-11, 17-19, 24, 25, 29-36, 177-180, 184-190, 192, 195 and 197 are rejected under 35 U.S.C. 102(b) as being anticipated by Goforth et al.

With regard to claims 1, 177, 178, 190 and 195, Goforth et al. discloses an apparatus for removing constituent from a fluid stream comprising a duct (68,70,74) having a fluid passageway to receive a fluid stream having constituent, a manifold system (horn 16 and isolator 32) coupled to the duct such that the manifold system communicates with the fluid passageway, a collection device (lower portion of 70) coupled to the duct, the collection device in communication with the fluid passageway to filter the fluid stream, a sorbent injector (86) to inject a sorbent in the fluid passageway

Art Unit: 1724

of the duct, wherein the injection of the sorbent is upstream of the collection device, and an acoustic generator (72 and siren 14) coupled to the manifold system and operable to generate an acoustic field in the fluid passageway of the duct to promote sorption of at least of the constituent for collection by the collection device in Figs. 1-7 and col. 3, line 28 to col. 17, line 7.

With regard to claim 2, Goforth et al. discloses the acoustic generator being an array of sound sources mounted along the duct to produce a plurality of acoustic fields in the fluid passageway in col. 6, lines 13-67.

With regard to claims 3, 4, 179 and 184-189, Goforth et al. discloses the acoustic field having a peak sound pressure level references to 20 microPascals of 168 dB and a frequency of 500 Hz in col. 7, lines 23-42.

With regard to claims 5, 7 and 31, Goforth et al. discloses the acoustic field having a periodic sinusoidal waveform in col. 5, line 55 to col. 6, line 12.

With regard to claims 8, 17, 30, 35 and 36, Goforth et al. discloses the fluid stream being a combustion exhaust gas from a coal fired power plant and at least a portion of the constituent being vapor and fly ash in col. 3, lines 11-37.

With regard to claims 9-11, 18 and 19, Goforth et al. discloses the sorbent being powdered or granular in col. 10, lines 1-26 and col. 12, lines 11-28. At least a portion of the constituent comprises oxidized and elemental mercury since the exhaust stream is an exhaust gas from a coal fired power plant.

With regard to claim 24, Goforth et al. discloses the apparatus comprising a hopper (bottom portion of 70) operatively positioned to accumulate at least a portion of the constituent removed from the fluid stream in Fig. 7.

With regard to claim 25, Goforth et al. discloses the collection device being a filter in col. 10, lines 1-12.

With regard to claim 29, Goforth et al. discloses the collection device being a gravitational settling chamber (70) in Figs. 1-7 and col. 3, line 28 to col. 17, line 7.

With regard to claims 32-34, Goforth et al. teaches the acoustic field being frequency and amplitude modulable since the reference teaches optimizing the frequency and amplitude in col. 7, lines 22-64.

With regard to claim 180, Goforth et al. discloses the manifold system including a main chamber (lower portion of 16) in communication with the fluid passageway of the

Art Unit: 1724

duct and at least a first channel (upper portion of 16) in communication with the main chamber in communication with the main chamber in Fig. 1.

With regard to claim 192, Goforth et al. discloses the substance having a reacting surface and the collection device are part of a catalytic converter (88) in Fig. 7 and col. 15, lines 34-41.

With regard to claim 197, Goforth et al. teaches determining a frequency of the acoustic field to apply to the fluid stream by trial-and-error by observing the transfer of the constituent towards the sorbent over several frequencies and selecting the frequency that provides the greatest transfer of the sorbent in col. 7, lines 22-64.

8. Claims 1, 2, 4-8, 15, 17, 20-22, 25, 26, 30-35 42-44, 82-85, 90, 97, 190, 194 and 195 are rejected under 35 U.S.C. 102(b) as being anticipated by Eng et al.

With regard to claims 1, 25, 82, 90, 190, 194 and 195 Eng et al. discloses an apparatus for removing constituent from a fluid stream comprising a spray scrubber tower defining a duct (10) having a chamber defining a fluid passageway (16) to receive a fluid stream having constituent, a collection device comprising a filter (300) coupled to the duct, the collection device in communication with the fluid passageway to filter the fluid stream, a liquid sorbent injector (water sprayer 104) coupled to the scrubber tower to inject a liquid sorbent in the fluid passageway of the duct of the scrubber tower,

Art Unit: 1724

wherein the injection of the sorbent is upstream of the collection device, and an acoustic generator (102) to generate an acoustic field in the fluid passageway of the duct to promote sorption of at least of the constituent for collection by the collection device and to promote a chemical reaction between the liquid and at least some of the constituent in Fig. 1 and col. 4, line 69 to col. 10, line 31.

With regard to claims 2, 4, 31-35, 42-44 and 97, Eng et al. discloses the acoustic generator being defined as an array of sound sources mounted along the duct to produce a plurality of acoustic fields in the fluid passageway of the duct, wherein each of the plurality of acoustic generators is adapted to generate a frequency modulated acoustic field unique relative to each of the other plurality of acoustic generators, wherein the acoustic field is amplitude modulable and has a frequency of 10 kHz in Fig. 1 and col. 9, lines 48-57.

With regard to claims 5-8, 17, 30 and 83-85, Eng et al. discloses the acoustic field being defined as a frequency modulated sinusoidal periodic waveform, the fluid stream being a gas exhaust stream, and at least a portion of the constituent being vapor (sulfur oxides and nitrogen oxides from the combustion process) and fly ash in col. 1, lines 24-29 and col. 7, lines 4-53.

With regard to claim 15, Eng et al. discloses the apparatus further comprising a second collection device (reservoir 28) upstream of the sorbent injector in Fig. 1 and col. 5, lines 7-21.

With regard to claim 20, Eng et al. discloses the apparatus comprising a second acoustic generator (34) adapted to generate a frequency modulated acoustic field in the fluid passageway of the duct upstream of the sorbent injector to promote agglomeration of at least a portion of the constituent in the fluid stream in Fig. 1 and col. 5, lines 27-72.

With regard to claims 21, 22 and 26, Eng et al. discloses the collection device being an electrostatic precipitator (306), wherein the apparatus further comprises a second collection device (the second grid 308) coupled downstream of a point of application of the frequency modulated acoustic field, the collection device and second collection device being in communication with the fluid passageway to promote removal of the agglomerated constituent in Fig. 1 and col. 9, line 68 to col. 10, line 31.

9. Claims 49-54, 56-58, 63-68, 72, 77, 78, 81, 102-105, 107, 124-133 and 138-149 are rejected under 35 U.S.C. 102(b) as being anticipated by Goforth et al.

With regard to claims 49, 50, 102-105, 124-133, 138, 139, 143-145 and 147-149 Goforth et al. discloses a method for removing constituent from a fluid stream by enhancing mass transfer from a dilute vapor towards the surface of a sorbent

Art Unit: 1724

comprising providing a fluid stream having a dilute vapor, injecting a sorbent (injector 86) in the fluid stream, the fluid stream having constituent, and applying a modulable (adjustable) acoustic field (generators 72) in the fluid stream to promote sorption of at least some of the constituent, providing a collection device (lower portion of 70) in communication with the fluid stream, the collection device being downstream relative to a point where the sorbent is injected into the fluid stream in Figs. 1-7 and col. 3, line 28 to col. 17, line 7.

With regard to claims 51, 107 and 137 Goforth et al. discloses the step of applying an acoustic field including providing an array of sound sources mounted along the duct to produce a plurality of acoustic fields in the fluid passageway of the duct in col. 6, lines 13-67.

With regard to claims 52, 53 and 140-142, Goforth et al. discloses the acoustic field having a peak sound pressure level references to 20 microPascals of 168 dB and a frequency of 500 Hz in col. 7, lines 23-42.

With regard to claims 54 and 56, Goforth et al. discloses the acoustic field having a periodic sinusoidal waveform in col. 5, line 55 to col. 6, line 12.

With regard to claims 57, 58, 63-65, 77 and 146, Goforth et al. discloses the fluid stream being a combustion exhaust gas from a coal fired power plant, at least a portion

Art Unit: 1724

of the constituent being vapor, fly ash and mercury, and the sorbent being powdered or granular in col. 3, lines 11-37, col. 10, lines 1-26 and col. 12, lines 11-28. At least a portion of the constituent comprises mercury since the exhaust stream is an exhaust gas from a coal fired power plant.

With regard to claim 66, Goforth et al. discloses providing a hopper (bottom portion of 70) operatively positioned to accumulate at least a portion of the constituent removed from the fluid stream in Fig. 7.

With regard to claims 67 and 68, Goforth et al. discloses filtering the fluid stream with a collection device comprising a filter in col. 10, lines 1-12.

With regard to claim 72, Goforth et al. discloses the collection device being a gravitational settling chamber (70) in Figs. 1-7 and col. 3, line 28 to col. 17, line 7.

With regard to claims 78 and 81, Goforth et al. teaches determining a frequency of the acoustic field to apply to the fluid stream by trial-and-error by observing the transfer of the constituent towards the sorbent over several frequencies and selecting the frequency that provides the greatest transfer of the sorbent in col. 7, lines 22-64.

Art Unit: 1724

10. Claims 49-51, 53-57, 62, 63, 67-69, 73-75, 77, 102-105, 107-109, 117, 119, 124-133, 138-149 and 154-176 are rejected under 35 U.S.C. 102(b) as being anticipated by Eng et al.

With regard to claims 49, 50, 67, 68, 102-105, 108, 109, 119, 124-133, 138, 139, 143-145, 147-149 and 154-159, Eng et al. discloses a method for removing constituent from a fluid stream by enhancing mass transfer from a dilute vapor towards the surface of a sorbent comprising providing a fluid stream having a dilute vapor injecting a sorbent (injector 104) in the fluid stream, the fluid stream having constituent, and applying a frequency modulated (see col. 9, lines 48-57) acoustic field (generators 102) in the fluid stream to promote sorption of at least some of the constituent, providing a collection device comprising a filter (300) in communication with the fluid stream, the collection device being downstream relative to a point where the sorbent is injected into the fluid stream in Fig. 1 and col. 4, line 69 to col. 10, line 31.

With regard to claims 51, 53-56, 107, 117, 140-142 and 160-174 Eng et al. discloses the step of applying an acoustic field including providing an array of sound sources mounted along the duct to produce a plurality of acoustic fields in the fluid passageway of the duct, wherein the acoustic field has a frequency modulated periodic sinusoidal waveform, a frequency of 10 kHz, and a peak sound pressure referenced to 20 microPascals of greater than 110 dB in col. 9, lines 48-57.

With regard to claims 57, 63, 77, 146, 175 and 176, Eng et al. discloses the fluid stream being a combustion exhaust gas from a power plant, at least a portion of the constituent being vapor (sulfur gases) and fly ash in col. 1, lines 24-29 and col. 7, lines 4-53.

With regard to claim 62, Eng et al. discloses providing a second collection device (reservoir 28) upstream of the sorbent injector in Fig. 1 and col. 5, lines 7-21.

With regard to claim 73, Eng et al. discloses providing a second acoustic generator (34) adapted to generate a frequency modulated acoustic field in the fluid passageway of the duct upstream of the sorbent injector to promote agglomeration of at least a portion of the constituent in the fluid stream in Fig. 1 and col. 5, lines 27-72.

With regard to claims 69, 74 and 75, Eng et al. discloses the collection device being an electrostatic precipitator (306), wherein the method further comprises providing second collection device (the second grid 308) coupled downstream of a point of application of the frequency modulated acoustic field, the collection device and second collection device being in communication with the fluid passageway to promote removal of the agglomerated constituent in Fig. 1 and col. 9, line 68 to col. 10, line 31.

Claim Rejections - 35 USC § 103

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

12. Claims 3, 52, 98-100 and 134-136 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eng et al.

With regard to claims 3, 52 and 98-100, Eng et al. discloses the acoustic field having a frequency modulated sinusoidal periodic waveform, a frequency of 10kHz, and a peak sound pressure referenced to 20 microPascals of greater than 110 dB in col. 9, lines 54-57. Since the prior art range of peak sound pressure is seen as overlapping the claimed range, a prima facie case of obviousness exists which must be overcome through a showing of unexpected or unobvious results.

With regard to claims 134-136, Eng et al. does not disclose the specific cross-sectional shape of the duct.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the duct as having one of the recited cross-sectional shapes to provide a duct having an optimum shape for installation in a specific area.

13. Claims 6, 42-48, 55, 80, 137, 150-176 and 196 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goforth et al. in view of Vicard et al.

With regard to claims 6, 42-46, 55, 137 and 150-176, Goforth et al. discloses each of the acoustic generators being adapted to generate an acoustic field that is frequency and amplitude modulable unique relative to each of the other plurality of acoustic generators but does not disclose the acoustic field being having a modulated waveform or each of the plurality of acoustic generators being adapted to generate a modulated acoustic field in the duct.

Vicard et al. teaches a similar apparatus using a frequency and amplitude modulated acoustic field in Figs. 1-5 and col. 4, line 17 to col. 6, line 67.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the frequency and amplitude modulation of Vicard et al. into the apparatus of Goforth et al. to allow the operation of the apparatus to be continually optimized, as suggested by Vicard et al. in col. 4, lines 17-27.

With regard to claims 47, 48 and 196, Goforth et al. does not disclose the apparatus comprising an emission analyzer operable to receive information concerning the fluid stream.

Vicard et al. teaches a similar apparatus comprising an emission analyzer (control system 40) operable to receive information concerning the fluid stream, wherein a frequency of the sound field is selected based upon information received from the

Art Unit: 1724

emissions analyzer concerning the fluid stream in Figs. 1-5 and col. 5, line 29 to col. 6, line 67.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the emission analyzer of Vicard et al. into the apparatus of Goforth et al. to allow the frequency and amplitude to be optimized in response to the operation of the apparatus, as suggested by Vicard et al. in col. 4, lines 17-27 and col. 5, lines 50-64.

With regard to claim 80, Goforth et al. does not disclose the determining the frequency by applying a model based upon parameters of the fluid stream.

Vicard et al. teaches a similar method wherein the frequency of an acoustic field is determined by applying a model based upon parameters of the fluid stream (control system 40) in Figs. 1-5 and col. 5, line 29 to col. 6, line 67.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the model of Vicard et al. into the method of Goforth et al. to eliminate the trial and error approach of Goforth, as suggested by Vicard et al. in col. 4, lines 17-27 and col. 5, lines 50-64.

14. Claims 12, 59 and 106 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goforth et al. in view of Wojtowicz et al.

Goforth et al. does not disclose the sorbent being activated carbon.

Wojtowicz et al. teaches a similar apparatus and method wherein activated carbon is used to remove mercury in col. 1, lines 24-46.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the activated carbon of Wojtowicz et al. into the apparatus of Goforth et al. to provide an adsorbent that can be reactivated to minimize the amount of spent adsorbent that must be disposed of, as suggested by Wojtowicz et al. in col. 1, lines 42-46.

15. Claims 13, 14, 23, 45-48, 60, 61, 76, 91-96, 116, 137 and 150-153 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eng et al. in view of Vicard et al.

With regard to claims 13, 14, 60, 61, 91-96, 116, Eng et al. discloses at least a portion of the constituent being an oxide of sulfur and an oxide of nitrogen, wherein the sorbent is water in col. 1, lines 24-29 and col. 5, lines 1-21.

Eng et al. does not disclose the sorbent being a limestone slurry.

Vicard et al. discloses a similar apparatus using a limestone slurry (lime milk) as a sorbent in Figs. 1-5 and col. 5, lines 29-58.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the limestone of Vicard et al. into the water sorbent of Eng et al. to enhance the adsorption efficiency of sulfur oxides, as is well known in the art.

Art Unit: 1724

With regard to claims 23, 45, 46, 76, 137 and 150-153 Eng et al. discloses each of the acoustic generators being adapted to generate an acoustic field that is frequency and amplitude modulable unique relative to each of the other plurality of acoustic generators but does not disclose the acoustic being having an amplitude modulated waveform or each of the plurality of acoustic generators being adapted to generate an amplitude modulated acoustic field in the duct.

Vicard et al. teaches a similar apparatus using a frequency and amplitude modulated acoustic field in Figs. 1-5 and col. 4, line 17 to col. 6, line 67.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the amplitude modulation of Vicard et al. into the apparatus and method of Eng et al. to allow the operation of the apparatus to be continually optimized, as suggested by Vicard et al. in col. 4, lines 17-27.

With regard to claims 47 and 48, Eng et al. does not disclose the apparatus comprising an emission analyzer operable to receive information concerning the fluid stream.

Vicard et al. teaches a similar apparatus comprising an emission analyzer (control system 40) operable to receive information concerning the fluid stream, wherein a frequency of the sound field is selected based upon information received from the emissions analyzer concerning the fluid stream in Figs. 1-5 and col. 5, line 29 to col. 6, line 67.

Art Unit: 1724

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the emission analyzer of Vicard et al. into the apparatus of Eng et al. to allow the frequency and amplitude to be optimized in response to the operation of the apparatus, as suggested by Vicard et al. in col. 4, lines 17-27 and col. 5, lines 50-64.

16. Claims 19, 37-41, 86-88, 101 and 110-115 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eng et al.

Eng et al. does not explicitly disclose the power plant being fired by the recited fuels. However, the fuels recited in claims 19 and 37-41 are well known in the art for firing power plants. Additionally, the constituent will include elemental and oxidized mercury when coal is used to fire the power plant.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the prior art fuels into the apparatus of Eng et al. to allow the power plant to operate on the most economical or convenient fuel.

17. Claims 37-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goforth et al.

Goforth et al. does not explicitly disclose the power plant being fired by the recited fuels. However, the fuels recited in claims 37-41 are well known in the art for firing power plants.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the prior art fuels into the apparatus of Goforth et al. to allow the power plant to operate on the most economical or convenient fuel.

18. Claims 27, 28, 70 and 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goforth et al. in view of Chang et al.

Goforth et al. discloses the collection device comprising a filter in col. 10, lines 1-12 but does not disclose using a baghouse or a cyclone separator.

Chang et al. teaches a similar apparatus and method wherein sorbent particles are removed using a particulate collection device including a baghouse in Figs. 1 and 2 and col. 5, lines 50-55. While Chang et al. does not explicitly recite using a cyclone separator, one of ordinary skill in the art would at once envisage the particulate collection device encompassing cyclone separators since they are well known in the art for removing particulates from gas streams.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the particulate collection device of Chang et al. into the apparatus and method of Goforth et al. to ensure that all sorbent particulates are removed from the fluid stream, as suggested by Chang et al. in col. 5, lines 50-55. Furthermore, while Goforth et al. teaches baghouses not being required in col. 10, lines 20-27, the reference does not teach away from incorporating a baghouse into the apparatus or method. Goforth et al. merely teaches that a conventional baghouse filter is not required to stagnate the sorbent particles due to the use of the acoustic field. One

Art Unit: 1724

of ordinary skill in the art would have recognized that a baghouse could have still been incorporated downstream of the acoustic field to remove any particulate sorbent entrained in the fluid stream.

19. Claims 89, 118, 120, 191 and 193 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eng et al. in view of Chang et al.

Eng et al. does not disclose the scrubber tower being a packed scrubber tower or including a fixed bed adsorber.

Chang et al. teaches using a packed bed of activated carbon to remove vapor phase constituents in col. 1, lines 44-48.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the packed bed of Chang et al. into the scrubber tower of Eng et al. to enhance the adsorption of mercury and other vaporous constituents in the fluid stream, as suggested by Chang et al. in col. 1, lines 44-48.

20. Claims 134-136 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goforth et al.

Goforth et al. does not disclose the specific cross-sectional shape of the duct.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the duct as having one of the recited cross-sectional shapes to provide a duct having an optimum shape for installation in a specific area.

Double Patenting

21. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer cannot overcome a double patenting rejection based upon 35 U.S.C. 101.

22. Applicant is advised that should claim 5 be found allowable, claim 31 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k). Both claims 5 and 31 recite the apparatus of claim 1 wherein the acoustic field comprises a sinusoidal wave.

23. Applicant is advised that should claim 19 be found allowable, claim 36 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim.

Art Unit: 1724

See MPEP § 706.03(k). Both claims 19 and 36 recite the apparatus of claim 1 wherein the fluid stream is a combustion exhaust gas from a coal fired power plant.

Allowable Subject Matter

24. Claims 121-123 are allowed.

25. Claims 16, 79 and 181-183 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

26. The following is a statement of reasons for the indication of allowable subject matter:

With regard to claim 16, the prior art made of record does not teach or fairly suggest the apparatus of claim 1 wherein the collection device is a baghouse and the second collection device is an electrostatic precipitator.

With regard to claim 79, Vicard et al. teaches determining the frequency by using feedback control or a control table or program based on prior operating data in col. 6, line 58 to col. 7, line 17.

The prior art made of record does not teach or fairly suggest the method of claim 78 wherein determining a frequency comprises the recited steps.

With regard to claims 121-123, Goforth et al. teaches determining a frequency of the acoustic field to apply to the fluid stream by trial-and-error by observing the transfer of the constituent towards the sorbent over several frequencies and selecting the frequency that provides the greatest transfer of the sorbent in col. 7, lines 22-64. Vicard et al. teaches determining the frequency by using feedback control or a control table or program based on prior operating data in col. 6, line 58 to col. 7, line 17.

The prior art made of record does not teach or fairly suggest the method of claim 121 for determining a frequency of sound to increase the acoustical stimulation of vapor diffusion.

With regard to claims 181-183, the prior art made of record does not teach or fairly suggest the apparatus of claim 180 wherein the manifold system has a plurality of channels in communication with the main chamber.

Conclusion

27. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Greene whose telephone number is (571)


Art Unit: 1724

272-1157. The examiner can normally be reached on Monday - Friday (9:00 AM to 5:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jason M. Greene
Examiner
Art Unit 1724


8/21/05

jmg
August 21, 2005